

## ViewSonic 🥍 ViewBoard 6532-2


## Key Features

- All-in-one myViewBoard™ suite with Whiteboard, Display, and Manager
- Pen-on-paper writing experience with Ultra Fine **Touch Technology**
- Front-facing dual speakers to deliver attention-grabbing sound
- Webcam bracket easily attached with camera for better engagement
- Quad Core CPU with upgraded storage powered by Android 9.0 OS



## Product **Description**

The ViewBoard® 32-2 series is an advanced model that provides a comprehensive solution for schools and teachers looking to deliver more interactive and engaging lessons. Clearer colors, more vibrant contrast, and less glare are achieved thanks to 4K UHD display's bonding technology. With 20-point touchscreen interface, users collaborate naturally either with a finger or one of the ViewBoard styluses. The display integrates Ultra Fine Touch Technology which brings a paper-like writing experience with instant response and high accuracy. The dual-tip pen support allows you to simultaneously write or draw with two different colors. Seamless software integration is assured by the built-in access to the myViewBoard suite that brings together all the hardware. With upgraded RAM and storage, ViewBoard 32-2 Series offers instant connectivity and effortless usability for classroom engagement.



viewsonic.com/global/products/sheet/IFP6532-2

1. Smart Port USB<sup>™</sup> X 2 2. Camera 3. LAN 1 4. RS232 1 5. HDMI X 2 1 6. USB 2.0 7. VESA® Wall Mount600 x 400mm

8. Touch 9. Audio Out 10. VGA 11. Audio In 12. Wi-fi Module Slot

Visit Us

www.viewsonic.com

DISPLAY		BUNDLE SOFTWARE	
Panel Size:	65"	Basic Annotation Software:	myViewBoard Whiteboard
Panel Type:	TFT LCD Module with DLED Backlight.	Des Annetation Coffmans	myViewBoard Whiteboard for Windows
Display Area (mm):	1428.48(H)x 803.52 (V) (64.5" diagonal)	Pro Annotation Software:	(Embedded in optional Windows Slot-in PC)
Aspect Ratio:	16:9	Wireless Presentation:	myViewBoard Display & ViewBoard Cast
Resolution:	UHD 3840x2160(Pixels)	SPECIAL FEATURES	now Board Odot
Colors:	1.07B colors (8bit+FRC)		(combine slot-in
Brightness:	350 nits (typ.)	All-in-one USB port:	PC/Android/HDMI USB port) Front "SmartPort™
Contrast Ratio:	4000:1		USB <sup>′</sup> " to all channels.
Response Time:	6.5ms	Simple LAN sharing between IFP and slot-in device:	10/100M for Android & Slot-in PC
Viewing Angles:	H=178, V=178typ.	Light Sensor:	Yes
Backlight Life:	30,000 Hours (Min)	POWER	165
Surface Treatment:	Hardness: 9H Anti-glare coating	Voltage:	162V-264V +/- 10%
Orientation:	Landscape	Consumption:	On: 175W(typ.) Off: ≤ 0.5W\
PLATFORM		ERGONOMICS	
Processor:	ARM quad-core Cortex- A55	Wall Mount (VESA® ):	600*400
RAM:	4GB DDR4	OPERATING CONDITIONS	
Storage:	32 GB	Temperature (° C):	0°C to 40°C
тоисн	02.02	Humidity:	10% ~ 90% RH non- condensing
Type/ Tech:	Ultra Fine Touch Technology	DIMENSIONS (W X H X D)	condensing
Touch Point:	20 points touch, 2 points writing	Physical (inch / mm):	1489×897×87 mm / 58.6x35.3x3.4 in
INPUT		Packaging (inch / mm):	1628×208×1005 mm / 64x8.2x39.5 in
HDMI:	HDMI 2.0 x2 (3840x2160 @60Hz)	WEIGHT	
RGB / VGA:	x1	Net (lb / kg):	38.3kg/84.4lb
Audio:	x1	Gross (lb / kg):	46.0kg/101.4lb
RS232:	x1	REGULATIONS	
OPS:	x1 (Optional Intel Standard OPS)	EMC/CE, CB/LVD, GOST-R / EAC, FAC, RCM, BIS, ECAS, LBL (Low Blue Light Certification), RoHS, REACH, SCIP, WEEE, TPCH, Packing waste, CA65, Green BOM, ErP-Eco	
WiFi:	x1 (Optional VB-WIFI- 002/VB-WIFI-004)	PACKAGE CONTENTS	
OUTPUT		1. Power cord / 2.Remote control with AAA battery / 3.USB touch cable / 4. Touch pen x 2 / 5. Quick Start Guide + Compliance statement / 6. RS232 adapter / 7. Screw x 4 ( wall mount 4) / 8. HDMI cable / 9. Clamp x5 / 10. Camera plate x1	
Audio:	x1		
LAN			
RJ45:	x1	COMPATIBLE SLOT-IN PC	
USB		VPC12-WPO/VPC25/VPC2C/VPC	27 series
Туре А:	USB2.0 Front x2; Side x2		
Туре В:	x1 for HDMI/VGA touch		
SPEAKERS			
10W x 2			
TOP CAMERA PLATE			
Yes			
EMBEDDED OS			
Android 9			
	Comministra @ Minus Comine Common	ation 2000 2022. All rights record of	

Copyright © ViewSonic Corporation 2000-2023. All rights reserved.